

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	regist\$7 same domain identifier quer\$3 @ad<"19990901" 709/218. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/05 16:46
S4	1381	data adj0 request identifier \$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:44
S5	0	data adj0 request identifier \$2 @ad<"19990901" domain adj0 name adj0 system browser hyperlink interface service adj0 provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:47
S6	4	data adj0 request identifier \$2 @ad<"19990901" domain adj0 name adj0 system browser interface service adj0 provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:48
S7	16	data adj0 request identifier \$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:51
S8	227	data request identifier\$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:55
S9	39	data request identifier\$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider search adj0 engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 15:56

S10	13	data request identifier\$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider search adj0 engine prefix register\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 16:03
S11	2	data adj0 request identifier \$2 @ad<"19990901" domain adj0 name browser interface service adj0 provider search adj0 engine prefix register\$3 configured	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/07 16:08
S12	206	data adj0 request browser type identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:23
S13	114	data request adj0 type browser identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:26
S14	119	data request adj0 type\$2 browser identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:27
S15	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name registration keyword prefix adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:37
S16	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name registration keyword command adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:37
S17	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name registration keyword resolution adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38

S18	3	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword resolution adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38
S19	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword prefix adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38
S20	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword command adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38
S21	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword suffix adj0 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:38
S22	3	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:52
S23	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain adj0 name keyword URI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:53
S24	0	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" domain keyword URI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 08:53
S25	119	data request adj0 type\$2 browser identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 10:38

S26	110	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" generat \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 10:39
S27	58	data request adj0 type\$2 browser identifier\$2 @ad<"19990901" generat \$3 provide\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 11:10
S30	9	data adj0 request identifier \$2 @ad<"19990901" URI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:28
S31	29	data request adj0 type identifier\$2 @ad<"19990901" URI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:32
S32	29	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:36
S33	25	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3 with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:37
S34	25	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3 with request perform\$3 with request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:37
S35	21	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3 with request perform\$3 with request registr\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:38

S36	21	data request adj0 type identifier\$2 @ad<"19990901" URI generat\$3 with request perform\$3 with request registr\$7 result\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/18 14:38
S39	74	data adj0 request identifier \$2 @ad<"19990901" 709/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/08/19 13:52
S40	115	second with data adj0 request identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:00
S41	7	second with data adj0 request without with identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:00
S42	72	data adj0 request content with associated identifier \$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:03
S43	0	data adj0 request content with associated unidentifier \$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:10
S44	0	data adj0 request content with associated un- identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11
S45	0	data adj0 request un- identifier\$2 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11

S46	0	data adj0 request un- identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11
S47	21	data adj0 request unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11
S48	1	data adj0 request content with associat\$4 unidentifi \$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/03/31 17:11
S49	5	data adj0 request content with associat\$4 unidentifi \$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:11
S50	6	second with request content with associat\$4 unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:13
S51	0	second with request content with associat\$4 request with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:14
S52	0	request content with associat\$4 request with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:14
S53	0	request content with associat\$4 "not" with identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:14

S54	349	request content with associat\$4 "without" with identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:15
S55	29	request content with associat\$4 "without" adj5 identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:15
S56	1	DNS request content with associat\$4 "without" adj5 identifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/31 17:16
S57	0	DNS request content with associat\$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:00
S58	0	DNS request metadata with associat\$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:00
S59	0	DNS request meta with associat\$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:00
S60	0	DNS request meta with associated with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:01
S61	1	DNS request data with associat\$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:01

S62	8	request data with associat \$4 with unidentified @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:03
S63	11	request data with associat \$4 with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:42
S64	16	request\$2 data with associat\$4 with unidentifi \$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:42
S65	28	data with associat\$4 with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:44
S66	4	data with similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:46
S67	6	object with similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:50
S68	1	request\$2 object with similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:51
S69	24	request\$2 object similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:52

S70	0	inquiry object similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:56
S71	12	query object similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:56
S72	21	query similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:56
S73	41	query data with unidentifi \$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 10:59
S74	2	query content with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 11:04
S75	13	query document with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 11:05
S76	0	query document with unidentifi\$4 @ad<"19990901" 709/218. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/01 11:15
S77	0	second adj4 request\$2 object with similar with unidentifi\$4 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:16

S78	1	second adj4 request\$2 with based with initial with request document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:25
S79	4861	request\$2 with based with request\$2 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:26
S80	244	request\$2 with based with search with request\$2 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:26
S81	400	quer\$4 with based with search with quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:32
S82	14	quer\$4 with based with search with response initial with quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:33
S83	0	automatic\$4 with quer\$4 with based with search with response initial with quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:38
S84	0	subsequent\$4 with quer\$4 with based with search with response initial with quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:39
S85	0	subsequent\$4 with quer\$4 with based with response initial with quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:39

S86	64	quer\$4 with based with response initial with quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 15:39
S87	53	automatic\$5 quer\$4 with based with response initial with quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/15 16:04
S88	8	automatic\$5 quer\$4 with based with response initial with quer\$4 document unrelated @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 09:58
S89	53	automatic\$5 quer\$4 with based with response initial with quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:04
S90	0	autosearch\$5 quer\$4 with based with response initial with quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:04
S91	0	autosearch\$5 second adj8 query @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:05
S92	0	autosearch\$5 second adj8 inquiry @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:05
S93	0	autosearch\$5 second adj8 request @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:05

S94	0	autosearch\$5 reiteration @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:05
S95	2	automatic\$5 with quer\$4 quer\$4 with based with response initial with quer \$4 document unrelated @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:09
S96	6	subsequent\$5 with quer\$4 quer\$4 with based with response initial with quer \$4 document unrelated @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:18
S97	3	subsequent\$5 adj4 quer\$4 quer\$4 with based with response initial with quer \$4 document unrelated @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:18
S98	57	subsequent\$5 with quer\$4 automatic\$4 adj5 quer\$4 document @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:23
S99	62	query adj0 expansion @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:31
S100	44	query adj0 expansion automatic\$5 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/17 10:33
S101	26	identifier\$2 @ad<"19990901" query adj2 expansion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/10/30 11:38

S102	5	identifier\$2 @ad<"19990901" automatic adj5 query adj2 expansion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/10/30 11:50
S103	1	subsequent\$5 with quer\$4 automatic\$4 adj5 quer\$4 document @ad<"19990901" 709/218. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/05 15:04
S105	13	query adj0 expansion same automatic\$5 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 13:18
S106	17	query adj0 expansion second adj3 query @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 13:24
S107	6	query adj0 expansion second adj3 query type identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 13:25
S108	0	query adj0 expansion second adj3 query type source adj6 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 13:25
S109	190	first adj2 query second adj2 query type identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 13:27
S110	0	(first adj2 query second adj2 query request adj4 type identifier).bsum. @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 13:32

S111	22	(first adj2 query second adj2 query identifier). bsum. @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 13:32
S112	14	(query subsequent adj2 query identifier). bsum. @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 13:52
S113	55	(subsequent adj2 query). bsum. @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 14:07
S114	4168	regist\$7 query type identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 14:30
S115	125	regist\$7 query source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 14:31
S116	8	regist\$7 adj4 query query source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 15:03
S117	1	regist\$7 adj0 query query source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 16:39
S118	1	regist\$7 adj1 query query source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 16:40

S119	5	regist\$7 adj2 query query source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 16:40
S120	4	regist\$7 adj2 request query source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/04/27 16:41
S121	0	regist\$7 adj4 query same dns query source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 10:52
S122	1	regist\$7 query same dns source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 10:52
S123	0	regist\$7 with quer\$3 same dns source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 10:54
S124	4	regist\$7 same dns source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 10:56
S125	0	regist\$7 same dns query source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 10:56
S126	26	regist\$7 same domain source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 11:02

S127	14	regist\$7 same domain quer \$3 source adj4 identifier @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 11:02
S128	487	regist\$7 same domain identi\$6 quer\$3 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 11:23
S129	143	regist\$7 same domain same identi\$6 quer\$3 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 11:24
S130	510	regist\$7 same domain quer \$3 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 11:24
S131	306	regist\$7 same domain identifier quer\$3 @ad<"19990901"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 11:24
S133	21	regist\$7 same domain identifier quer\$3 @ad<"19990901" 709/203. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/10/04 11:24

10/ 5/ 2010 4:47:04 PM

C:\ Documents and Settings\ ovostal\ My Documents\ EAST\ Workspaces\ 10710362.wsp